

www.lalizas.com





The brand-new LALIZAS LAMDA SOLAS

Dedicated to the **Shipping Business Class**

Copyright © 2019, LALIZAS S.A.

An OVERVIEW Of the brand-new LALIZAS LAMDA SOLAS

SOLAS / MED APPROVED

The quality and originality of the LALIZAS SOLAS Lifejackets are the two absolute values behind their legendary brand.

For the last three decades, LALIZAS SA has been producing the finest lifejackets in terms of materials, design and of course water performance and durability.

You are professional seamen. So are we.

You ask for the top standards. So do we.



SPECIFICATIONS' BOARD	LALIZAS LAMDA SOLAS	
CODE	71216	71107
LIFEJACKET CATEGORY	275Nt	150Nt
AVERAGE ACTUAL BUOYANCY	290+Nt	180+ Nt
SOLAS TESTING STANDARDS MSC 201 (81), MSC	MSC 201 (81), MSC 207 (81), MSC 200 (80), MSC 226 (82), MSC 323 (89)	
INFLATED CHAMBERS	DOUBLE	DOUBLE
INFLATED MECHANISMS	2 x AUTOMATIC/MANUAL	
CO ₂ CYLINDERS	2 x 60 gr	2 x 33 gr
PRESSURE RELIEF VALVE	YES	YES
TURNING TIME minimum	< 5 sec	< 5 sec
INDIVIDUAL FABRIC COVER	Four Tailored Pieces	Four Tailored Pieces
FABRIC MATERIAL	Soft PVC	Soft PVC
BELT MATERIAL	Top Quality	Top Quality
LIFTING LOOP	Yellow	Yellow
BUDDY LINE	YES	YES
"EASY ACCESS" WHISTLE & LIFEJACKET LIGHT POSITION	YES	YES
EASY-WEAR & PRECISE FIT DESIGN	YES	YES
USER INSTRUCTIONS IMPRINT	YES	YES
RAW MATERIALS TESTED ACCORDING TO	ISO:12402-7, ISO:12402-8	



LALIZAS Inflatable Lifejackets Advance Lamda Auto 330N, SOLAS with or without spray hood, and crotch strap

SOLAS / MED APPROVED



335	SPECIFICATION CODE
	LIFEJACKET CATE
	AVERAGE ACTUAL
	SOLAS TESTING S
	HSE APPROVAL
	INFLATED CHAME
	INFLATED MECHA
	CO ₂ CYLINDERS
	PRESSURE RELIE
	TURNING TIME m
	INDIVIDUAL FABI
	FABRIC MATERIA
	BELT MATERIAL
	CROTCH STRAP
	SPRAYHOOD
	LIFTING LOOP
	BUDDY LINE
	"EASY ACCESS" W

new

SPECIFICATIONS' BOARD CODE	72114	72115
LIFEJACKET CATEGORY	275Nt	
AVERAGE ACTUAL BUOYANCY	335 Nt	
SOLAS TESTING STANDARDS	MSC 201 (81), MSC 207 (81), MSC 200 (80), MSC 226 (82), MSC 323 (89) & MSC 368 (93)	
HSE APPROVAL	YES	
INFLATED CHAMBERS	DOUBLE	
INFLATED MECHANISMS	2 x AUTOMATIC/MANUAL	
CO ₂ CYLINDERS	2 x 60 gr	
PRESSURE RELIEF VALVE	YES	
TURNING TIME minimum	<5 sec	
INDIVIDUAL FABRIC COVER	Four Tailored Pieces	
FABRIC MATERIAL	Soft PVC	
BELT MATERIAL	Top Quality	
CROTCH STRAP	YES	
SPRAYHOOD	NO	YES
LIFTING LOOP	YES	
BUDDY LINE	YES	
"EASY ACCESS" WHISTLE & LIFEJACKET LIGHT POSITION	YES	
EASY-WEAR & PRECISE FIT DESIGN	YES	
USER INSTRUCTIONS IMPRINT	YES	
RAW MATERIALS TESTED ACCORDING TO	ISO:12402-7, ISO:12402-8	

Copyright © 2019, LALIZAS S.A.







The brand-new LALIZAS DELTA SOLAS

Dedicated to the **Shipping Business Class**

Copyright © 2019, LALIZAS S.A.

An OVERVIEW Of the brand-new LALIZAS DELTA SOLAS

SOLAS / MED APPROVED

The quality and originality of the LALIZAS SOLAS Lifejackets are the two absolute values behind their legendary brand.

For the last three decades, LALIZAS SA has been producing the finest lifejackets in terms of materials, design and of course water performance and durability.

You are professional seamen. So are we.

You ask for the top standards. So do we.



SPECIFICATIONS' BOARD CODE	LALIZAS DELTA SOLAS 71108	
LIFEJACKET CATEGORY	150Nt	
AVERAGE ACTUAL BUOYANCY	180+ Nt	
SOLAS TESTING STANDARDS	MSC 201 (81), MSC 207 (81), MSC 200 (80) & MSC 226 (82)	
INFLATED CHAMBERS	DOUBLE	
INFLATED MECHANISMS	2 x AUTOMATIC/MANUAL	
CO ₂ CYLINDERS	2 x 33 gr	
PRESSURE RELIEF VALVE	YES	
TURNING TIME minimum	< 5 sec	
FABRIC MATERIAL	Nylon Valice	
BELT MATERIAL	Top Quality	
LIFTING LOOP	Yellow	
BUDDY LINE	YES	
"EASY ACCESS" WHISTLE & LIFEJACKET LIGHT POSITION	YES	
EASY-WEAR & PRECISE FIT DESIGN	YES	
USER INSTRUCTIONS IMPRINT	YES	
RAW MATERIALS TESTED ACCORDING TO	ISO:12402-7, ISO:12402-8	

An OVER Of the brand-new LALIZ Delta Inflatable Lifeja Vacuum Pack, Delta Auto 150N, S with Lalizas Lifejacket light, L.S.A	AS DELTA SOLAS			
Thickness 70 mm				
PULL - TIRARE	Easy storage			
	Increased lifespan			
	Ideal for passenger vessels Pre-installed LALIZAS Lifejacket			
✓ Pre-installed LALIZAS Lifejacket LED flashing light "Safelite IV"				
SPECIFICATIONS' BOARD CODE	LALIZAS DELTA SOLAS 711081			
LIFEJACKET CATEGORY	150Nt			
AVERAGE ACTUAL BUOYANCY	180+ Nt			
SOLAS TESTING STANDARDS	MSC 201 (81), MSC 207 (81), MSC 200 (80) & MSC 226 (82)			
INFLATED CHAMBERS	DOUBLE			
INFLATED MECHANISMS	2 x AUTOMATIC/MANUAL			
CO ₂ CYLINDERS	2 x 33 gr			
PRESSURE RELIEF VALVE	YES			
TURNING TIME minimum	< 5 sec			
FABRIC MATERIAL	Nylon Valice			
BELT MATERIAL	Top Quality			
LIFTING LOOP	Yellow			
BUDDY LINE	YES			
"EASY ACCESS" WHISTLE & LIFEJACKET LIGHT POSITION	YES			
EASY-WEAR & PRECISE FIT DESIGN	YES			
USER INSTRUCTIONS IMPRINT	YES			
RAW MATERIALS TESTED ACCORDING TO	ISO:12402-7, ISO:12402-8			
PRE-INSTALLED LALIZAS LIFEJACKET LED FLASHING LIGHT "SAFELITE IV"	YES			
VACUUM PACKED	YES			